INDEX TO AUTHORS.

A

Adams, Elliott T. Specific dynamic action from the standpoint of the second and third laws of thermodynamics, p. xxi

Amberg, Samuel. The rate of filtration of some aqueous protein solutions, p. lx

Andrews, James C. The optical activity of cysteine, p. lix

B

Baernstein, Harry, and **Bradley, H. C.** Pepsin and the autolytic protease, p. xiv

Barbour, A. D. The question of the interaction of insulin, muscle tissue, and glucose, 53

Baumann, Emil J. The effect of compensatory hypertrophy on the fat, cholesterol, and phosphatide content of the suprarenal gland, p. xxx

Beber, M. See MORGULIS, BEBER, and RABKIN, p. lxii

Behre, Jeanette Allen. See BENEDICT, NEWTON, and BEHRE, 267

Benedict, Stanley R., Newton, Eleanor B., and **Behre, Jeanette Allen.** A new sulfur-containing compound (thiasine) in the blood, 267

Bergeim, Olaf. Intestinal absorption of calcium and phosphorus, p. lv

Berger, John. See BLATHERWICK, MAXWELL, BERGER, and SAHYUN, p. xxxiii

Bills, Charles E. Antiricketic substances. III. The catalytic formation of an antiricketic cholesterol derivative, 753

—. Fat solvents, 279

Bischoff, Fritz, Maxwell, L. C., and **Blatherwick, N. R.** Note on the Wyss chemical method of assaying insulin, 547

Blatherwick, N. R., Maxwell, L. C., Berger, John, and **Sahyun, Melville.** Studies on insulin, p. xxxiii

—. See BISCHOFF, MAXWELL, and BLATHERWICK, 547

Bliss, Sidney. The site of ammonia formation and the prominent rôle of vomiting in ammonia elimination, 109

Blunt, Katharine, Tilt, Jennie, McLaughlin, Laura, and **Gunn, Katherine B.** The basal metabolism of girls, 491

—. See CHANEY and BLUNT, p. xxxi

Bock, Joseph C. See GILBERT, SCHNEIDER, and BOCK, 629

Bodansky, Meyer. Plasma proteins in experimental anhydremia, p. xxxviii

Bodansky, Oscar. See LOEB and BODANSKY, 79

Bolliger, Adolph. The effect of anesthesia on phosphate metabolism, p. lvi

Boothby, Walter M. See DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY, p. xxiii

—. See SANDIFORD, SANDIFORD, DEUEL, and BOOTHBY, p. xxiv

Boyd, James I. See ROE, IRISH, and BOYD, 579

Bradley, H. C. See BAERNSTEIN and BRADLEY, p. xiv

Brakefield, J. L., and **Schmidt, Carl L. A.** Studies on the synthesis and elimination of certain bile components in obstructive jaundice, 523

Bulger, Harold A. See EISENMAN, BULGER, and PETERS, 159

—. See PETERS, BULGER, and EISENMAN, 165

—. See PETERS, BULGER, EISENMAN, and LEE, 141, 175, 219

Burt, K. L. See ROBINSON and HUFFMAN, 257

C

Cahan, Meyer H. See KOCH and CAHAN, p. lxii

—. See KOCH, CAHAN, and GUSTAVSON, p. lii

Campbell, Walter R. The quantitative determination of dihydroxyacetone, 59

—, **Fletcher, A. A., Hepburn, J.,** and **Markowitz, J.** Dihydroxyacetone metabolism, p. lvii

Carpenter, D. C. The influence of hydrogen ion concentration and of temperature on the hydrolytic scission of casein, 647

Cary, C. A. The free tryptophane in cow's blood and its utilization by the mammary gland, p. xl

—. The use of the Hopkins-Cole glyoxylic acid reagent for the quantitative determination of free tryptophane in blood, p. xxxix

Cerecedo, Leopold R. See MUENZEN, CERECEDO, and SHERWIN, 469

Chaney, Margaret S., and **Blunt, Katharine.** The effect of orange juice on the calcium, phosphorus, magnesium, and nitrogen retention and urinary organic acids of growing children, p. xxxi

Channon, H. J. See DRUMMOND, CHANNON, and COWARD, p. l

Chanutin, Alfred. The fate of creatine when administered to man, 29

Christman, A. A. A new method for the determination of allantoin in urine, p. lxi

Clark, E. P., and **Collip, J. B.** An accurate method of estimating urea in Folin-Wu blood filtrates, p. lxi

— and —. A procedure for the determination of urea in

Folin-Wu blood filtrates by the autoclave method, 621

—. See COLLIP and CLARK, 679

Clark, William Mansfield, Cohen, Barnett, and **Gibbs, H. D.** On biochemical color reactions with benzidine, *p*-phenylene diamine, etc., p.x

Clayton, M. M. See MATTILL and CLAYTON, p. xlix

Cohen, Barnett. See CLARK, COHEN, and GIBBS, p. x

Collip, J. B., and **Clark, E. P.** Concerning the relation of guanidine to parathyroid tetany, 679

—. See CLARK and COLLIP, 621, p. lxi

Cori, Carl F., and **Cori, Gerty T.** A quantitative analysis of the fate of sugar in the animal body, p. xlvii

Cori, Gerty T. See CORI and CORI, p. xlvii

Coward, K. H. See DRUMMOND, CHANNON, and COWARD, p. l

Cowgill, George R. A relation between appetite and the energy factor in nutrition: a practical consideration, p. liii

Cox, Gerald J., and **Rose, William C.** Can other imidazoles replace histidine in the diet for purposes of growth? p. iii

Csonka, Frank A. See JONES and CSONKA, p. ix

D

Dakin, H. D. Notes on the metabolism of amino and fatty acids, 341

Davis, Alice Rohde. See BENEDICT, NEWTON, and BEHRE, 267

Deuel, Harry J., Jr., Sandiford, Kathleen, Sandiford, Irene, and **Boothby, Walter M.** Deposit protein: The effect of thyroxin on the deposit protein after reduction of the nitrogen excretion to a minimal level by a prolonged protein-free diet, p. xxiii

—. See SANDIFORD and DEUEL, p. lxii

—. See SANDIFORD, SANDIFORD, DEUEL, and BOOTHBY, p. xxiv

Doisy, Edward A. See RALLS, JORDAN, HEUSINKVELD, and DOISY, p. v

Drabkin, David L. The normal urinary pigment, p. xl

Drake, T. G. H., and **Tisdall, Frederick F.** The effect of histamine on the blood chlorides, 91

Drummond, J. C., Channon, H. J., and **Coward, K. H.** The chemistry of vitamin A, p. l

Du Bois, Eugene F. See RICHARDSON, LEVINE, and DU BOIS, 737

Duggan, Walter F., and **Scott, Ernest L.** A critical examination of four methods commonly used for the determination of sugar in blood, 287

Dulaney, Herman. See Gibson and Dulaney, p. lxi

E

Eadie, George S., and **Hunter, Andrew.** The apparent dissociation constants of creatine and creatinine, 237

Eckstein, Henry C. The distribution of some of the more important amino acids in the globulin of the thyroid gland, 601

— and **Wile, Udo, J.** The cholesterol content of the cutaneous epithelium of man, p. lix

Eisenman, Anna J., Bulger, Harold A., and **Peters, John P.** Total acid-base equilibrium of plasma in health and disease. II. The effect of CO_2 tension on the concentration of the acids of the plasma of oxygenated blood, 159

—. See Peters, Bulger, and Eisenman, 165

—. See Peters, Bulger, Eisenman, and Lee, 141, 175, 219

Elvehjem, C. A., and **Hart, E. B.** Iron in nutrition. II. Quantitative methods for the determination of iron in biological materials, 43

—. See Hart, Steenbock, Elvehjem, Scott, and Humphrey, 371

Extron, W. G. See Rose and Extron, p. xli

F

Fiske, Cyrus H., Goodell, Robert A., Hathaway, Louis E., Jr., and **West, Edward J.** Further observations on the fate of acid in the body, 385

— and **Litarczek, Georges.** A new method for potassium, p. xvi

Fletcher, A. A. See Campbell, Fletcher, Hepburn, and Markowitz, p. lvii

Folin, Otto. The determination of sugar in blood and in normal urine, 357

Forbes, E. B., and **Swift, Raymond W.** The iron content of meats, 517

Foster, G. L., and **Smith, Philip E.** Some effects of posterior pituitary ablation in the rat, p. xxix

French, B. E. L. Specific absorption studies upon rennin, p. lxi

Friedemann, Theodore E., Somogyi, M., and **Webb, P. K.** The effect of glucose and insulin injection upon artificial ketosis of normal and diabetic dogs, p. xliv

G

Gaebler, Oliver Henry. Destruction of an hydantoin nucleus (beta-methyl hydantoin) in the animal body, p. lv

Gibbs, H. D. See Clark, Cohen, and Gibbs, p. x

Gibson, H. V. Studies on capillary blood sugar, p. xlvi

Gibson, R. B., and **Dulaney, Herman.** Curves of the blood and cerebrospinal fluid sugar following glucose ingestion in a case of cerebrospinal rhinorrhea, p. lxi

Gilbert, Max, Schneider, Hans, and **Bock, Joseph C.** Blood sugar studies, 629

Goldthorpe, H. C. *In vitro* studies on ammonia and urea formation by tissues, p. lxi

Goodell, Robert A. See Fiske, Goodell, Hathaway, and West, 385

Gray, I. E. See Hall, Gray, and Lepkovsky, 549

Greenwald, Isidor. The effect of the administration of calcium salts and of sodium phosphate upon the calcium and phosphorus metabolism of thyroparathyroidectomized dogs, with a consideration of the nature of the calcium compounds of blood and their relation to the pathogenesis of tetany, 1

—. The relation of the parathyroid glands to the calcium of the blood, p. xxxv

Griffith, Wendell H. A modified method for the determination of hippuric acid, p. xv

Gunn, Katherine B. See Blunt, Tilt, McLaughlin, and Gunn, 491

Gustavson, Reuben G. See Koch, Cahan, and Gustavson, p. lii

Guy, Loren P. See Chanutin, 29

H

Hall, F. G., Gray, I. E., and **Lepkovsky, S.** The influence of asphyxiation on the blood constituents of marine fishes, 549

Haller, H. L. See Levene and Haller, 329

Hanke, Martin E. A new acid-forming enzyme in gastric and other tissues, and its possible significance in the gastric hydrochloric acid mechanism, p. xi

— and **Tuta, J. A.** The application of oxidation-reduction potentials to the measurement of oxidase activity, p. lxii

Harrow, Benjamin. See Novello, Harrow, and Sherwin, p. liv

Hart, E. B., Steenbock, H., Elvehjem, C. A., Scott, H., and **Humphrey, G. C.** Dietary factors influencing calcium assimilation. VII. The influence of sunlight upon calcium equilibrium in milking cows, 371

—. See Elvehjem and Hart, 43

Haskins, Howard D. Lactose estimation uniform in technique with estimation of glucose in blood and urine, p. lx

— and **Osgood, E. E.** New hemoglobinometers, p. lx

Hathaway, Louis E., Jr. See Fiske, Goodell, Hathaway, and West, 385

Hepburn, J. See Campbell, Fletcher, Hepburn, and Markowitz, p. lvii

Hess, Alfred F., Weinstock, Mildred, and **Sherman, Elizabeth.** The antirachitic value of irradiated cholesterol and phytosterol. V. Chemical and biological changes, 413

Heusinkveld, C. T. See RALLS, JORDAN, HEUSINKVELD, and DOISY, p. v

Hjort, Axel M., North, H. B., and **Tendick, F. H.** The parathyroid hormone, p. xxxvi

Hoffmann, Alexander. See JACOBS and HOFFMANN, 333, 609

Hoobler, B. Raymond. See MACY, OUTHOUSE, LONG, and HOOBLER, p. li

Hoppert, C. A. See STEENBOCK, HOPPERT, and RIISING, p. lxii

Huffman, C. F. See ROBINSON and HUFFMAN, 245, 257

Humphrey, G. C. See HART, STEENBOCK, ELVEHJEM, SCOTT, and HUMPHREY, 371

Hunter, Andrew. See EADIE and HUNTER, 237

I

Irish, Oliver J. See ROE, IRISH, and BOYD, 579

J

Jackson, Henry, Jr., and **Riggs, Margaret D.** The effect of high protein diets on the kidneys of rats, 101

Jacobs, Walter A., and **Hoffmann, Alexander.** Strophanthin. IX. On crystalline Kombe strophanthin, 609

— and —. The structural relationship of the cardiac poisons, 333

James, A. A., Laughton, N. B., and **Macallum, A. Bruce.** Notes on the chemistry and physiology of the antipressor fraction from hepatic tissue, p. vi

Jones, D. Breese, and **Csonka, Frank A.** Studies on glutelins, p. ix

Jordan, C. N. See RALLS, JORDAN, HEUSINKVELD, and DOISY, p. v

K

Kahlenberg, Louis. See STEINLE and KAHLENBERG, 425

Kahn, Bernard S. See ROE and KAHN, 585

Karelitz, S. See SHOHL and KARELITZ, p. xxvii

Karr, Walter G. See OSER and KARR, 319

Keltch, Anna K. See ROCKWOOD and KELTCH, p. lvi

Kendall, Edward C. The chemical configuration of thyroxin and its mode of action in the tissues, p. iii

Kerr, Stanley E. Studies on the inorganic composition of blood. I. The effect of hemorrhage on the inorganic composition of serum and corpuscles, 689

—. II. Changes in the potassium content of erythrocytes under certain experimental conditions, 721

Kingsbury, Francis B. The variations in the sugar content of human urine, p. xviii
Knudson, Arthur. See Randles and Knudson, p. xvii
Koch, Elizabeth M., and Cahan, Meyer H. A study of the blood inorganic phosphate as varied by rachitic and non-rachitic diets, p. lxii
—, —, and **Gustavson, Reuben G.** The antirachitic properties of certain lipoids, p. lii
Koch, F. C. See McMeekin and Koch, p. xiii
Koehler, Alfred E. The effect of acidosis on the sugar metabolism, p. xlv

L

Laughton, N. B. See James, Laughton, and Macallum, p. vi
Lee, Carter. See Peters, Bulger, Eisenman, and Lee, 141, 175, 219
Lepkovsky, S. See Hall, Gray, and Lepkovsky, 549
Levene, P. A. On the nitrogenous components of yeast nucleic acid, 325
— and **Haller, H. L.** The conversion of optically active lactic acid to the corresponding propylene glycol, 329
— and **Rolf, Ida P.** Bromolecithins. II. Bromolecithins of the liver and egg yolk, 659
— and **Sobotka, Harry.** Acetyl monoses. I, 759
— and —. II, 771
Levine, Harold. See Smith and Levine, p. vi
Levine, Samuel Z. See Richardson, Levine, and Du Bois, 737
Lewis, Howard B. See McGinty and Lewis, 567
—. See Shambaugh and Lewis, p. xxx
Litarczek, Georges. See Fiske and Litarczek, p. xvi
Loeb, Leo, and **Bodansky, Oscar.** The occurrence of urease in the blood cells, blood plasma, and tissues of *Limulus*, 79
Long, Esmond R. See Seibert and Long, p. lxi
Long, M. Louisa. See Macy, Outhouse, Long, and Hoobler, p. li
Looney, Joseph M. The control of the muscular rigidity of catatonic præcox patients by parathyroid hormone, p. xxxvii

M

Macallum, A. Bruce. See James, Laughton, and Macallum, p. vi
MacLeod, Grace, and **Rose, Mary Swartz.** Some factors influencing the basal metabolism of children, p. xix
Macy, Icie G., Outhouse, Julia, Long, M. Louisa, and **Hoobler, B. Raymond.** A study of the vitamin A and B content of mixed human milk, p. li
Markowitz, J. See Campbell, Fletcher, Hepburn, and Markowitz, p. lvii

Mattill, H. A., and **Clayton, M. M.** Further observations on the relation of vitamin E to reproduction in rats on synthetic and milk diets, p. xlix

Maxwell, L. C. See Bischoff, Maxwell, and Blatherwick, 547

—. See Blatherwick, Maxwell, Berger, and Sahyun, p. xxxiii

McClendon, J. F. The conductivity of erythrocytes to electric currents of high and low frequency, p. vii

McDonald, Francis G. See Bills, 753

McGinty, Daniel A., and **Lewis, Howard B.** Lipase studies. III. The hydrolysis of the esters of the dicarboxylic acids by the lipase of the liver, 567

McLaughlin, Laura. See Blunt, Tilt, McLaughlin, and Gunn, 491

McMeekin, T. L., and **Koch, F. C.** Studies on the purification of pepsin, p. xiii

Medes, Grace. Calcium, phosphorus, and magnesium metabolism in the rat, p. xxxii

Meeker, George H., and **Oser, Bernard L.** Titrimetric double hydrogen or quinhydrone electrode systems for hydrion determination; applications to urine and blood, 307

Miller, Harry G. Potassium in animal nutrition. III. Influence of potassium on total excretion of sodium, chlorine, calcium, and phosphorus. 71

Miriam, S. R. See Novello, Miriam, and Sherwin, 555

Morgulis, Sergius, Beber, M., and **Rabkin, I.** Studies of the effect of temperature on the catalase reaction, p. lxii

Muenzen, Joseph B., Cerecedo, Leopold R., and **Sherwin, Carl P.** Comparative metabolism of certain aromatic acids. VIII. Acetylation of amino compounds, 469

N

Newton, Eleanor B. See Benedict, Newton, and Behre, 267

North, H. B. See Hjort, North, and Tendick, p. xxxvi

Novello, N. Jean, Harrow, Benjamin, and **Sherwin, Carl P.** Studies in methylation, p. liv

—, **Miriam, S. R.,** and **Sherwin, Carl P.** Comparative metabolism of certain aromatic acids. IX. Fate of some halogen derivatives of benzoic acid in the animal body, 555

O

Ort, John M. The oxidation and reduction potentials of some compounds closely related to thyroxin, p. x

Oser, Bernard L., and **Karr, Walter G.** The correction of Folin-Wu blood sugar values, 319

—. See Meeker and Oser, 307

Osgood, E. E. See HASKINS and OSGOOD, p. lx
Outhouse, Julia. See MACY, OUTHOUSE, LONG, and HOOBLER, p. li

P

Paddock, R. K. See ROBINSON and HUFFMAN, 257
Peters, John P., Bulger, Harold A., and **Eisenman, Anna J.** Total acid-base equilibrium of plasma in health and disease. III. The differences between arterial and venous blood, 165
—, —, —, and **Lee, Carter.** Total acid-base equilibrium of plasma in health and disease. I. The concentration of acids and bases in normal plasma, 141
—, —, —, and —. IV. The effects of stasis, exercise, hyperpnea, and anoxemia; and the causes of tetany, 175
—, —, —, and —. V. Miscellaneous pathologic conditions, 219
—. See EISENMAN, BULGER, and PETERS, 159
Pratt, Arnold E. The preparation of *d*-arginine carbonate, 351

Q

Quick, Armand J. The study of benzoic acid conjugation in the dog with a direct quantitative method for hippuric acid, 477
Quinn, E. J. See SHERMAN and QUINN, 667, p. xxxiii

R

Rabkin, I. See MORGULIS, BEBER, and RABKIN, p. lxii
Ralls, J. O., Jordan, C. N., Heusinkveld, C. T., and **Doisy, Edward A.** Some properties of the hormone of the liquor folliculi, p. v
Randles, F. S., and **Knudson, Arthur.** Studies on cholesterol. The relation of the suprarenals and the spleen to cholesterol metabolism, p. xvii
Richardson, Henry B. Clinical calorimetry. XL. The effect of the absence of sweat glands on the elimination of water from the skin and lungs, 397
—, **Levine, Samuel Z.,** and **Du Bois, Eugene F.** Clinical calorimetry. XLI. The storage of glycogen in exophthalmic goiter, 737
Riggs, Margaret D. See JACKSON and RIGGS, 101
Riising, Blanche M. See STEENBOCK, HOPPERT, and RIISING, p. lxii
Robinson, C. S., and **Huffman, C. F.** Studies on the chemical composition of beef blood. I. The concentrations of certain constituents in normal beef plasma, 245
— and —. II. The composition of the blood of dams and calves immediately after calving, 257
Rockwood, E. W., and **Keltch, Anna K.** The promoter

action of adrenalin on ptyalin, p. lvi

Roe, Joseph H. The estimation of the total phosphorus and lipoid phosphorus of the blood, p. xv

—, **Irish, Oliver J.,** and **Boyd, James I.** A study of the molybdic oxide colorimetric method for the estimation of the phosphorus compounds of the blood, 579

— and **Kahn, Bernard S.** A colorimetric method for the estimation of blood calcium, 585

Rolf, Ida P. See LEVENE and ROLF, 659

Ronzoni, Ethel. The effect of exercise on breathing in experimental alkalosis produced by ingested sodium bicarbonate, p. xxv

Rose, Anton R., and **Extron, W. G.** Fractional precipitation of protein in urine, p. xli

Rose, Mary Swartz. The influence of prolonged administration of egg upon the hemoglobin content of children's blood, p. xx

—. See MACLEOD and ROSE, p. xix

Rose, William C. See COX and ROSE, p. iii

Rowe, Allen Winter. The metabolism of galactose. III. The influence on the tolerance of disturbed endocrine function, p. xlviii

—. IV. The influence of ovarian activity on the galactose tolerance, p. lxii

S

Sahyun, Melville. See BLATHERWICK, MAXWELL, BERGER, and SAHYUN, p. xxxiii

Sandiford, Irene, and **Deuel, Harry J., Jr.** The specific dynamic action of various carbohydrates in dogs, p. lxii

—, **Sandiford, Kathleen, Deuel, Harry J., Jr.,** and **Boothby, Walter M.** The percentage variation of the nitrogen partition products in the urine as the result of a prolonged protein-free diet, together with the effect thereon of thyroxin and subsequent protein feeding, p. xxiv

—. See DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY, p. xxiii

Sandiford, Kathleen. See DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY, p. xxiii

—. See SANDIFORD, SANDIFORD, DEUEL, and BOOTHBY, p. xxiv

Saunders, Charles W. The nutritional value of chlorophyl as related to hemoglobin formation, p. lxii

Schmidt, Carl L. A. See BRAKEFIELD and SCHMIDT, 523

Schneider, Hans. See GILBERT, SCHNEIDER, and BOCK, 629

Scott, Ernest L. See DUGGAN and SCOTT, 287

Scott, H. See HART, STEENBOCK, ELVEHJEM, SCOTT, and HUMPHREY, 371

Seibert, Florence B., and **Long, Esmond R.** The effect of proteolytic enzymes on the active principle of tuberculin, p. lxi

Seidell, Atherton. Concentrated antineuritic vitamin prepared from brewers' yeast, 593

Sevringhaus, Elmer L. The effect of ketosis on insulin action in the rabbit, p. xliii

Shambaugh, Noel F., and **Lewis, Howard B.** The intermediary metabolism of the aromatic amino acids. Phenylalanine, p. xxx

Sherman, Elizabeth. See Hess, Weinstock, and Sherman, 413

Sherman, H. C., and **Quinn, E. J.** The phosphorus content of the body in relation to age, growth, and food, 667, p. xxxiii

Sherwin, Carl P. See Muenzen, Cerecedo, and Sherwin, 469

—. See Novello, Harrow, and Sherwin, p. liv

—. See Novello, Miriam, and Sherwin, 555

Shohl, A. T., and **Karelitz, S.** Carbon dioxide tension of cerebrospinal fluid, p. xxvii

Simpson, George Eric. The The effect of sleep on urinary chlorides and pH, 505

Smith, Arthur H., and **Levine, Harold.** Ketosis in the rat, p. vi

Smith, H. Gregg. The biochemical oxidation of fatty acids, p. xxvii

Smith, Philip E. See Foster and Smith, p. xxix

Sobotka, Harry. See Levene and Sobotka, 759, 771

Soderstrom, G. F. See Richardson, 397

—. See Richardson, Levine, and Du Bois, 737

Somogyi, M. See Friedemann, Somogyi, and Webb, p. xliv

Speakman, Horace B. The physiological significance of bacterial deamination, p. xvii

Sperry, Warren M. Lipid excretion by dogs on a lipid-free diet, p. xxviii

Steenbock, H., Hoppert, C. A., and **Riising, Blanche M.** Chemical and physiological effects of irradiation with ultra-violet light, p. lxii

—. See Hart, Steenbock, Elvehjem, Scott, and Humphrey, 371

Steinle, John Vernon, and **Kahlenberg, Louis.** A new method for the identification and estimation of cholesterol and certain other compounds, 425

Sullivan, M. X. Differentiating reactions for cysteine, cystine, and glutathione, p. xi

Sumner, James B. The precipitation of urease by lead acetate, p. viii

Sure, Barnett. The rôle of vitamin E in lactation, p. xlix

Swift, Raymond W. See Forbes and Swift, 517

T

Taylor, G. E. See ROBINSON and HUFFMAN, 257

Tendick, F. H. See HJORT, NORTH, and TENDICK, p. xxxvi

Tilt, Jennie. See BLUNT, TILT, MCLAUGHLIN, and GUNN, 491

Tisdall, Frederick F. See DRAKE and TISDALL, 91

Tuta, J. A. See HANKE and TUTA, p. lxii

Tweedy, W. R. A modification of the Tisdall method for blood plasma calcium, p. lxii

W

Wade, Warren C. The influence of an athletic type of exercise upon the quantity of uric acid, creatine, and creatinine in blood and urine, p. lxii

Webb, P. K. See FRIEDEMANN, SOMOGYI, and WEBB, p. xliv

Weinstock, Mildred. See HESS, WEINSTOCK, and SHERMAN, 413

West, Edward J. See FISKE, GOODELL, HATHAWAY, and WEST, 385

West, Edward S. A chemical and electronic basis for the theory of antiketogenesis, p. xlii

Wierzuchowski, M. Hypoglycemia with convulsions in phlorhizin diabetes, p. xlii

Wile, Udo J. See ECKSTEIN and WILE, p. lix

INDEX TO SUBJECTS.

A

Acetyl monoses:
I (LEVENE and SOBOTKA) 759
II (LEVENE and SOBOTKA) 771

Acid:
(FISKE, GOODELL, HATHAWAY, and WEST) 385

Acid(s):
-base equilibrium, plasma. I (PETERS, BULGER, EISENMAN, and LEE) 141
— —, —. II (EISENMAN, BULGER, and PETERS) 159
— —, —. III (PETERS, BULGER, and EISENMAN) 165
— —, —. IV (PETERS, BULGER, EISENMAN, and LEE) 175
— —, —. V. (PETERS, BULGER, EISENMAN, and LEE) 219
Plasma, normal (PETERS, BULGER, EISENMAN, and LEE) 141
—, oxygenated blood, carbon dioxide tension, effect on concentration (EISENMAN, BULGER, and PETERS) 159

Age:
Phosphorus, relation (SHERMAN and QUINN) 667

Amino acid(s):
Globulin, thyroid gland (ECKSTEIN) 601
Metabolism (DAKIN) 341
Thyroid gland, globulin (ECKSTEIN) 601

Amino compounds:
Acetylation (MUENZEN, CERECEDO, and SHERWIN) 469

Ammonia:
Elimination, vomiting (BLISS) 109
Formation, site (BLISS) 109

***d*-Arginine carbonate:**
Preparation (PRATT) 351

Aromatic acid(s):
Metabolism. VIII (MUENZEN, CERECEDO, and SHERWIN) 469
—. IX (NOVELLO, MIRIAM, and SHERWIN) 555

Artery:
Blood, and venous, differences (PETERS, BULGER, and EISENMAN) 165

Asphyxiation:
Blood constituents of marine fishes, influence (HALL, GRAY, and LEPKOVSKY) 549

Assimilation:
Calcium, dietary factors influencing. VII (HART, STEENBOCK, ELVEHJEM,

Assimilation—*continued:*
Scott, and Humphrey) 371

B

Base:
Equilibrium, acid-base, plasma. I (Peters, Bulger, Eisenman, and Lee) 141
—, —, —. II (Eisenman, Bulger, and Peters) 159
—, —, —. III (Peters, Bulger, and Eisenman) 165
—, —, —. IV (Peters, Bulger, Eisenman, and Lee) 175
—, —, —. V (Peters, Bulger, Eisenman, and Lee) 219
Plasma, normal (Peters, Bulger, Eisenman, and Lee) 141

Beef:
Blood. I (Robinson and Huffman) 245
—. II (Robinson and Huffman) 257
Plasma, normal, concentration of constituents (Robinson and Huffman) 245

Benzoic acid:
Conjugation in dog (Quick) 477
Halogen derivatives (Novello, Miriam, and Sherwin) 555

Bile:
Components in obstructive jaundice, elimination (Brakefield and Schmidt) 523
— — — —, synthesis (Brakefield and Schmidt) 523

Biology:
Cholesterol, irradiated, biological changes (Hess, Weinstock, and Sherman) 413
Iron, quantitative determination in biological materials (Elvehjem and Hart) 43
Phytosterol, irradiated, biological changes (Hess, Weinstock, and Sherman) 413

Blood:
Arterial and venous, differences (Peters, Bulger, and Eisenman) 165
Beef. I (Robinson and Huffman) 245
—. II (Robinson and Huffman) 257
Calcium, colorimetric estimation (Roe and Kahn) 585
— compounds, tetany (Greenwald) 1
Calf, composition (Robinson and Huffman) 257
Cells, *Limulus*, urease in (Loeb and Bodansky) 79
Chlorides, histamine effect (Drake and Tisdall) 91
Dams, composition (Robinson and Huffman) 257
Filtrates, Folin-Wu, urea determination by autoclave method (Clark and Collip) 621
Fish, marine, asphyxiation, influence (Hall, Gray, and Lepkovsky) 549

Blood—*continued:*
Hydrogen ion determination, hydrogen electrode (MEEKER and OSER) 307
— — —, quinhydrone electrode (MEEKER and OSER) 307
Inorganic composition. I (KERR) 689
— —. II (KERR) 721
Molybdic oxide colorimetric estimation of phosphorus compounds (ROE, IRISH, and BOYD) 579
Oxygenated, plasma acids, carbon dioxide tension, effect on concentration (EISENMAN, BULGER, and PETERS) 159
Phosphorus compounds, molybdic oxide colorimetric estimation (ROE, IRISH, and BOYD) 579
Plasma, *Limulus*, urease in (LOEB and BODANSKY) 79
Sugar (FOLIN) 357
— (GILBERT, SCHNEIDER, and BOCK) 629
— determination (DUGGAN and SCOTT) 287
— values, Folin-Wu, correction (OSER and KARR) 319
Sulfur-containing compound (thiasine) (BENEDICT, NEWTON, and BEHRE) 267
Venous and arterial, differences (PETERS, BULGER, and EISENMAN) 165

Brewers' yeast:
Antineuritic vitamin (SEIDELL) 593

Bromolecithin:
II (LEVENE and ROLF) 659
Egg yolk (LEVENE and ROLF) 659
Liver (LEVENE and ROLF) 659

C

Calcium:
Assimilation, dietary factors influencing. VII (HART, STEENBOCK, ELVEHJEM, SCOTT, and HUMPHREY) 371
Blood, colorimetric estimation (ROE and KAHN) 585
—, compounds, tetany (GREENWALD) 1
Equilibrium, milking cows, sunlight influence (HART STEENBOCK, ELVEHJEM, SCOTT, and HUMPHREY) 371
Excretion, potassium influence (MILLER) 71
Metabolism, effect of calcium salts (GREENWALD) 1
—, — — sodium phosphate (GREENWALD) 1

Calcium salt(s):
Metabolism, calcium, thyroparathyroidectomy (GREENWALD) 1
—, phosphorus, thyroparathyroidectomy (GREENWALD) 1

Calorimetry:
Clinical. XL (Richardson) 397
—. XLI (Richardson, Levine, and Du Bois) 737
Carbon dioxide:
Tension, plasma acids, oxygenated blood, effect on concentration (Eisenman, Bulger, and Peters) 159
Cardiac:
Poisons, structural relationship (Jacobs and Hoffmann) 333
Casein:
Scission, hydrolytic, hydrogen ion concentration, influence (Carpenter) 647
—, —, temperature, influence (Carpenter) 647
Cell:
Blood, *Limulus*, urease in (Loeb and Bodansky) 79
Chloride(s):
Blood, histamine, effect (Drake and Tisdall) 91
Urinary, effect of sleep (Simpson) 505
Chlorine:
Excretion, potassium influence (Miller) 71
Cholesterol:
Antirachitic derivative (Bills) 753
Estimation (Steinle and Kahlenberg) 425
Identification (Steinle and Kahlenberg) 425
Cholesterol—*continued:*
Irradiation, antirachitic value. V (Hess, Weinstock, and Sherman) 413
Colorimetry:
Calcium, blood (Roe and Kahn) 585
Phosphorus compounds of blood, molybdic oxide estimation (Roe, Irish, and Boyd) 579
Corpuscle:
Inorganic composition, hemorrhage, effect (Kerr) 689
Creatine:
(Chanutin) 29
Dissociation constants (Eadie and Hunter) 237
Creatinine:
Dissociation constants (Eadie and Hunter) 237

D

Dicarboxylic acid:
Esters, hydrolysis, liver lipase (McGinty and Lewis) 567
Diet:
Calcium assimilation, dietary factors influencing. VII (Hart, Steenbock, Elvehjem, Scott, and Humphrey) 371
Protein, effect on kidneys (Jackson and Riggs) 101
Dihydroxyacetone:
Quantitative determination (Campbell) 59

Dissociation constant:
Creatine (Eadie and Hunter) 237
Creatinine (Eadie and Hunter) 237

E

Egg:
Yolk, bromolecithins (Levene and Rolf) 659

Electrode:
Hydrogen, hydrogen ion determination, blood (Meeker and Oser) 307
—, — — —, urine (Meeker and Oser) 307
Quinhydrone, hydrogen ion determination, blood (Meeker and Oser) 307
—, — — —, urine (Meeker and Oser) 307

Equilibrium:
Acid-base, plasma. I (Peters, Bulger, Eisenman, and Lee) 141
—, —. II (Eisenman, Bulger, and Peters) 159
—, —. III (Peters, Bulger, and Eisenman) 165
—, —. IV (Peters, Bulger, Eisenman, and Lee) 175
—, —. V (Peters, Bulger, Eisenman, and Lee) 219
Calcium, milking cows, sunlight influence (Hart, Steenbock, Elvehjem, Scott, and Humphrey) 371

Erythrocyte:
Potassium content (Kerr) 721

Ester(s):
Dicarboxylic acid, hydrolysis, liver lipase (McGinty and Lewis) 567

Excretion:
Calcium, potassium influence (Miller) 71
Chlorine, potassium influence (Miller) 71
Phosphorus, potassium influence (Miller) 71
Sodium, potassium influence (Miller) 71

F

Fat:
Solvents (Bills) 279

Fatty acid:
Metabolism (Dakin) 341

Fish:
Blood constituents, asphyxiation, influence (Hall, Gray, and Lepkovsky) 549

Folin-Wu:
Blood filtrates, urea determination by autoclave method (Clark and Collip) 621
— sugar values, correction (Oser and Karr) 319

Food:
Phosphorus, relation (Sherman and Quinn) 667

G

Globulin:
Amino acids, thyroid gland (Eckstein) 601
Thyroid gland, amino acids (Eckstein) 601

Glucose:
Insulin and muscle tissue, interaction (Barbour) 53

Glycogen:
Goiter, exophthalmic (Richardson, Levine, and Du Bois) 737

Glycol:
Propylene, lactic acid conversion to (Levene and Haller) 329

Goiter:
Exophthalmic, glycogen storage (Richardson, Levine, and Du Bois) 737

Growth:
Phosphorus, relation (Sherman and Quinn) 667

Guanidine:
Parathyroid tetany (Collip and Clark) 679

H

Halogen:
Benzoic acid (Novello, Miriam, and Sherwin) 555

Hemorrhage:
Corpuscles, inorganic composition, effect (Kerr) 689
Serum, inorganic composition, effect (Kerr) 689

Hippuric acid:
Quantitative method (Quick) 477

Histamine:
Blood chlorides, effect on (Drake and Tisdall) 91

Hydrogen:
Electrode, hydrogen ion determination, blood (Meeker and Oser) 307
—, — — —, urine (Meeker and Oser) 307
Ion concentration, casein, hydrolytic scission (Carpenter) 647
— —, urinary effect of sleep (Simpson) 505
— determination, hydrogen electrode, blood (Meeker and Oser) 307
— —, — —, urine (Meeker and Oser) 307
— —, quinhydrone electrode, blood (Meeker and Oser) 307
— —, — —, urine (Meeker and Oser) 307

Hydrolysis:
Dicarboxylic acid esters, liver lipase (McGinty and Lewis) 567

I

Inorganic:
Blood. I (Kerr) 689
—. II (Kerr) 721
Corpuscles, hemorrhage, effect (Kerr) 689
Serum, hemorrhage, effect (Kerr) 689

Insulin:
Assaying, Wyss chemical method (BISCHOFF, MAXWELL, and BLATHERWICK) 547
Glucose and muscle tissue, interaction (BARBOUR) 53

Ion:
Hydrogen, concentration, casein, hydrolytic scission (CARPENTER) 647
—, —, urinary, effect of sleep (SIMPSON) 505
—, determination, hydrogen electrode, blood (MEEKER and OSER) 307
—, —, — —, urine (MEEKER and OSER) 307
—, —, quinhydrone electrode, blood (MEEKER and OSER) 307
—, —, — —, urine (MEEKER and OSER) 307

Iron:
Meat (FORBES and SWIFT) 517
Nutrition. II (ELVEHJEM and HART) 43
Quantitative determination in biological materials (ELVEHJEM and HART) 43

Irradiation:
Cholesterol, antirachitic value. V (HESS, WEINSTOCK, and SHERMAN) 413
Phytosterol, antirachitic value. V (HESS, WEINSTOCK, and SHERMAN) 413

J

Jaundice:
Obstructive, bile components, elimination in (BRAKEFIELD and SCHMIDT) 523

K

Kidney:
Protein diets, effect on (JACKSON and RIGGS) 101

L

Lactic acid:
Propylene glycol, conversion to (LEVENE and HALLER) 329

Limulus:
Urease, blood cells (LOEB and BODANSKY) 79
—, — plasma (LOEB and BODANSKY) 79
—, tissues (LOEB and BODANSKY) 79

Lipase:
III (MCGINTY and LEWIS) 567
Liver, hydrolysis, esters of dicarboxylic acids (MCGINTY and LEWIS) 567

Liver:
Bromolecithins (LEVENE and ROLF) 659
Lipase, hydrolysis, esters of dicarboxylic acid (MCGINTY and LEWIS) 567

Lung(s):
Water elimination, in absence of sweat glands (RICHARDSON) 397

M

Meat:
Iron content (FORBES and SWIFT) 517

Metabolism:
Amino acids (DAKIN) 341
Aromatic acids, VIII (MUENZEN, CERECEDO, and SHERWIN) 469
——. IX (NOVELLO, MIRIAM, and SHERWIN) 555
Basal, girls (BLUNT, TILT, MCLAUGHLIN, and GUNN) 491
Calcium, calcium salts, effect (GREENWALD) 1
—, sodium phosphate, effect (GREENWALD) 1
Fatty acids (DAKIN) 341
Phosphorus, calcium salts, effect (GREENWALD) 1
—, sodium phosphate, effect (GREENWALD) 1

Molybdic oxide:
Phosphorus compounds of blood, colorimetric estimation (ROE, IRISH, and BOYD) 579

Monoses:
Acetyl. I (LEVENE and SOBOTKA) 759
—. II (LEVENE and SOBOTKA) 771

Muscle:
Tissue, glucose and insulin, interaction (BARBOUR) 53

N

Nitrogen:
Nucleic acid, yeast (LEVENE) 325

Nucleic acid:
Yeast, nitrogenous components (LEVENE) 325

Nutrition:
Iron. II (ELVEHJEM and HART) 43
Potassium. III (MILLER) 71

O

Oxygenation:
Blood, plasma acids, carbon dioxide tension, effect on concentration (EISENMAN, BULGER, and PETERS) 159

P

Parathyroid:
Tetany, guanidine, relation (COLLIP and CLARK) 679

Pathogenesis:
Tetany (GREENWALD) 1

Phosphorus:
Blood, molybdic oxide colorimetric estimation (ROE, IRISH, and BOYD) 579
Body, age, relation (SHERMAN and QUINN) 667
—, food, relation (SHERMAN and QUINN) 667
—, growth, relation (SHERMAN and QUINN) 667

Phosphorus—*continued:*
Excretion, potassium influence (MILLER) 71
Metabolism, calcium salts, effect (GREENWALD) 1
—, sodium phosphate, effect (GREENWALD) 1
Phytosterol:
Irradiation, antirachitic value. V (HESS, WEINSTOCK, and SHERMAN) 413
Plasma:
Acids, normal (PETERS, BULGER, EISENMAN, and LEE) 141
Bases, normal (PETERS, BULGER, EISENMAN, and LEE) 141
Beef, normal, concentration of constituents (ROBINSON and HUFFMAN) 245
Blood, *Limulus*, urease in (LOEB and BODANSKY) 79
—, oxygenated, acids, carbon dioxide tension, effect on concentration (EISENMAN, BULGER, and PETERS) 159
Equilibrium, acid-base. I (PETERS, BULGER, EISENMAN, and LEE) 141
—, —. II (EISENMAN, BULGER, and PETERS) 159
—, —. III (PETERS, BULGER and EISENMAN) 165
—, —. IV (PETERS, BULGER, EISENMAN, and LEE) 175
Plasma—*continued:*
Equilibrium, acid-base. V (PETERS, BULGER, EISENMAN, and LEE) 219
Potassium:
Calcium excretion influenced by (MILLER) 71
Chlorine excretion influenced by (MILLER) 71
Erythrocyte (KERR) 721
Nutrition. III (MILLER) 71
Phosphorus excretion influenced by (MILLER) 71
Sodium excretion influenced by (MILLER) 71
Propylene:
Glycol, lactic acid conversion to (LEVENE and HALLER) 329
Protein:
Diet, effect on kidneys (JACKSON and RIGGS) 101

Q

Quinhydrone:
Electrode, hydrogen ion determination, blood (MEEKER and OSER) 307
—, — — —, urine (MEEKER and OSER) 307

R

Rickets:
Antirachitic substances. III (BILLS) 753
Cholesterol derivative, antirachitic (BILLS) 753

Rickets—*continued:*
Cholesterol, irradiated, antirachitic value. V (Hess, Weinstock, and Sherman) 413
Phytosterol, irradiated, antirachitic value. V (Hess, Weinstock, and Sherman) 413

S

Salt(s):
Calcium, metabolism, calcium, thyroparathyroidectomy (Greenwald) 1
—, —, phosphorus, thyroparathyroidectomy (Greenwald) 1
Scission:
Casein, hydrolytic, hydrogen ion concentration, influence (Carpenter) 647
—, —, temperature, influence (Carpenter) 647
Serum:
Inorganic composition, hemorrhage, effect (Kerr) 689
Skin:
Water elimination in absence of sweat glands (Richardson) 397
Sleep:
Chlorides, urinary, effect (Simpson) 505
Hydrogen ion concentration, urinary, effect (Simpson) 505
Sodium:
Excretion, potassium influence (Miller) 71
Sodium phosphate:
Metabolism, calcium, thyroparathyroidectomy (Greenwald) 1
—, phosphorus, thyroparathyroidectomy (Greenwald) 1
Solvent(s):
Fat (Bills) 279
Strophanthin:
IX (Jacobs and Hoffmann) 609
Kombe, crystalline (Jacobs and Hoffmann) 609
Sugar:
Blood (Folin) 357
— (Gilbert, Schneider, and Bock) 629
— determination (Duggan and Scott) 287
—, values, Folin-Wu, correction (Oser and Karr) 319
Urine (Folin) 357
Sulfur:
-containing compound (thiasine) in blood (Benedict, Newton, and Behre) 267
Sunlight:
Calcium equilibrium in milking cows, influence (Hart, Steenbock, Elvehjem, Scott, and Humphrey) 371
Sweat gland:
Absence, effect on elimination of water from lungs (Richardson) 397
—, — — — — — — skin (Richardson) 397

T

Temperature:
Casein, hydrolytic scission (CARPENTER) 647
Tetany:
Anoxemia, relation (PETERS, BULGER, EISENMAN, and LEE) 175
Blood stasis, relation (PETERS, BULGER, EISENMAN, and LEE) 175
Calcium compounds, blood (GREENWALD) 1
Exercise, relation (PETERS, BULGER, EISENMAN, and LEE) 175
Hyperpnea, relation (PETERS, BULGER, EISENMAN, and LEE) 175
Parathyroid, guanidine, relation (COLLIP and CLARK) 679
Thiasine:
(Sulfur-containing compound) in blood (BENEDICT, NEWTON, and BEHRE) 267
Thyroid gland:
Amino acids, globulin (ECKSTEIN) 601
Globulin, amino acids (ECKSTEIN) 601
Thyroparathyroidectomy:
Metabolism, calcium (GREENWALD) 1
—, — salts, administration (GREENWALD) 1
—, phosphorus (GREENWALD) 1
—, sodium phosphate, administration (GREENWALD) 1
Tissue:
Muscle, glucose and insulin, interaction (BARBOUR) 53
Urease, *Limulus* (LOEB and BODANSKY) 79

U

Urea:
Blood filtrates, Folin-Wu, determination by autoclave method (CLARK and COLLIP) 621
Urease:
Blood cells, *Limulus* (LOEB and BODANSKY) 79
— plasma, *Limulus* (LOEB and BODANSKY) 79
Plasma, blood, *Limulus* (LOEB and BODANSKY) 79
Tissues, *Limulus* (LOEB and BODANSKY) 79
Urine:
Chlorides, effect of sleep (SIMPSON) 505
Hydrogen ion determination, hydrogen electrode (MEEKER and OSER) 307
— — —, quinhydrone electrode (MEEKER and OSER) 307
Sugar (FOLIN) 357

V

Vein:
Blood, and arterial, differences (PETERS, BULGER, and EISENMAN) 165

Vitamin:
Antineuritic, brewers' yeast (SEIDELL) 593
Vomiting:
Ammonia elimination, (BLISS) 109

W

Water:
Elimination from lungs, in absence of sweat glands (RICHARDSON) 397
— — skin, in absence of sweat glands (RICHARDSON) 397
Wyss method:
Insulin, assaying (BISCHOFF, MAXWELL, and BLATHERWICK) 547

Y

Yeast:
Brewers', antineuritic vitamin (SEIDELL) 593
Nucleic acid, nitrogenous components (LEVENE) 325